Freshwater Biology (1998) **39**, 795–798

Author Index to Volume 39

AMBLARD, C. *see* CARRIAS, J.-F.
AMOROS, C. *see* BORNETTE, G.
AMYOT, J.-P. and DOWNING, J.A. Locomotion in *Elliptio complanata* (Mollusca:Unionidae): a reproductive function?, 351
ANDERSON, O. *see* BOJSEN, B.H.
ANGRADI, T. and HOOD, R. An application of the plaster dissolution method for quantifying water velocity in the shallow hyporheic zone of an Appalachian stream system, 301
ANNADOTTER, H. *see* LIRÅS, V.
ARNÉR, M., KOIVISTO, S., NORBERG, J. and KAUTSKY, N. Trophic interactions in rockpool food webs: regulation of zooplankton and phytoplankton by *Notonecta* and *Daphnia*, 79

BAILEY, R.C., KENNEDY, M.G., DERVISH, M.Z. and TAYLOR, R.M. Biological assessment of freshwater ecosystems using a reference condition approach: comparing predicted and actual benthic invertebrate communities in Yukon streams, 765
BÄRLOCHER, F. *see* RAVIRAJA, N.S.
BARMUTA, L.A. *see* ROBSON, B.J.
BASTVIKEN, D.T.E., CARACO, N.F. and COLE, J.J. Experimental measurements of zebra mussel (*Dreissena polymorpha*) impacts on phytoplankton community composition, 375
BELCHIER, M., EDSMAN, L., SHEEHY, M.R.J. and SHELTON, P.M.J. Estimating age and growth in long-lived temperate freshwater crayfish using lipofuscin, 439
BOJSEN, B.H., WITTHØFFT, H., STYRISHAVE, B. and ANDERSON, O. *In situ* studies on heart rate and locomotor activity in the freshwater crayfish, *Astacus astacus* (L.) in relation to natural fluctuations in temperature and light intensity, 455
BORNETTE, G., AMOROS, C. and LAMOUROUX, N. Aquatic plant diversity in riverine wetlands: the role of connectivity, 267
BOURDIER, G. *see* CARRIAS, J-F.
BOWEN, S.H. *see* LEMKE, M.J.
BOWKER, D.W., FERNS, P.N., PHILLIPS, D.R. and MAWLE, G.W. Modelling the impact of the regulation of estuarine drift-netting on the declared rod catch of Atlantic salmon *Salmo salar* L. in the River Usk, 569
BRANER, M. *see* PELTON, D.K.
BREWIN, P.A. *see* BUCKTON, S.T.
BROCK, J. *see* DODDS, W.K.
BRODERSEN, K.P., DALL, P.C. and LINDEGAARD, C. The fauna in the upper stony littoral of the Danish lakes: macroinvertebrates as trophic indicators, 577
BUCKTON, S.T., BREWIN, P.A., LEWIS, A., STEVENS, P. and ORMEROD, S.J. The distribution of dippers, *Cinclus cinclus* (L.), in the acid-sensitive region of Wales, 1984–95, 387
BUNN, S.E., DAVIES, P.M., KELLAWAY, D.M. and PROSSER, I.P. Influence of invasive macrophytes on channel morphology and hydrology in an open tropical lowland stream, and potential control by riparian shading, 171
BUNN, S.E. *see* HUGHES, J.M.

CARACO, N.F. *see* BASTVIKEN, D.T.E.
CARR, G.M. and CHAMBERS, P.A. Macrophyte growth and sediment phosphorus and nitrogen in a Canadian prairie river, 525
CARRIAS, J-F., AMBLARD, C., QUIBLIER-LLOBERAS, C. and BOURDIER, G. Seasonal dynamics of free and attached heterotrophic nanoflagellates in an oligomesotrophic lake, 91
CASPER, A.F. *see* THORP, J.H.
CATTANEO, A. *see* FRANCE, R.
CATTANEO, A., GALANTI, G., GENTINETTA, S. and ROMO, S. Epiphytic algae and macroinvertebrates on submerged and floating-leaved macrophytes in an Italian lake, 725
CHAMBERS, P.A. *see* CARR, G.M.
CHUBB, J.C. *see* COOK, J.A.
CICHRA, M.F. *see* HAVENS, K.E.
CLASKA, M.E. and GILBERT, J.J. The effect of temperature on the response of *Daphnia* to toxic cyanobacteria, 221
CLEARY, C. *see* HUGHES, J.M.
COESEL, P.F.M. *see* SPIJKERMAN, E.
COLE, J.J. *see* BASTVIKEN, D.T.E.
COOK, J.A., CHUBB, J.C. and VELTKAMP, C.J. Epibionts of *Asellus aquaticus* L. (Crustacea, Isopoda): an SEM study, 423
CRONIN, G., WISSING, K.D. and LODGE, D.M. Comparative feeding selectivity of herbivorous insects on water lilies: aquatic vs. semi-terrestrial insects and submersed vs. floating leaves, 243

DALL, P.C. *see* BRODERSEN, K.P.
DAVIES, B.R. *see* WISHART, M.J.
DAVIES, P.M. *see* BUNN, S.E.
DEEGAN, L.A. *see* GOLDEN, H.E.
DELONG, M.D. *see* THORP, J.H.
DERVISH, M.Z. *see* BAILEY, R.C.
DESCY, J.-P. *see* GOSSELAIN, V.
DODDS, W.K. and BROCK, J.A portable flow chamber for *in situ* determination of benthic metabolism, 49
DOWNING, J.A. *see* AMYOT, J-P.

EDSMAN, L. *see* BELCHIER, M.
ELLIOTT, J.M. and HURLEY, M.A. A new functional model for estimating the maximum amount of invertebrate food consumed per day by brown trout, *Salmo trutta*, 339

© 1998 Blackwell Science Ltd

ELLIS, B.K. *see* SPENCER, C.N.

FERNS, P.N. *see* BOWKER, D.W.
FINDLAY, S.E.G. *see* PACE, M.L.
FISCHER, D. *see* PACE, M.L.
FRANCE, R. and CATTANEO, A. $\delta^{13}C$ variability of benthic algae: effects of water colour via modulation by stream current, 617

GALANTI, G. *see* CATTANEO, A.
GARCÍA-RUIZ, R., PATTINSON, S.N. and WHITTON, B.A. Denitrification in river sediments: relationship between process rate and properties of water and sediment, 467
GARDENIERS, J.J.P. *see* PEETERS, E.T.H.M.
GENTINETTA, S. *see* CATTANEO, A.
GERVAIS, F. Ecology of cryptophytes coexisting near a freshwater chemocline, 61
GHADOUANI, A., PINEL-ALLOUL, B., ZHANG, Y. and PREPAS, E.E. Relationships between zooplankton community structure and phytoplankton in two lime-treated eutrophic hardwater lakes, 775
GILBERT, J.J. *see* CLASKA, M.E.
GILLER, P.S. *see* MURPHY, J.F.
GODDEERIS, B. *see* JANSSENS DE BISTHHOVEN, L.
GOLDEN, H.E. and DEEGAN, L.A. The trophic interactions of young Arctic grayling (*Thymallus arcticus*) in a tundra stream, 637
GOSSELAIN, V., VIROUX, L. and DESCY, J.-P. Can a community of small-bodied grazers control phytoplankton in rivers? 9
GRAF, B. *see* LIRÅS, V.

HANCOCK, M.A. The relationship between egg size and embryonic and larval development in the freshwater shrimp *Paratya australiensis* (Decapoda: Atyidae), 715
HARRISON, S.S.C. and HILDREW, A.G. Patterns in the epilithic community of a lake littoral, 477
HAVENS, K.E., PHLIPS, E.J., CICHRA, M.F. and LI, B.-L. Light availability as a possible regulator of cyanobacteria species composition in a shallow subtropical lake, 547
HERLIHY, A.T. *see* HILL, B.H.
HILDREW, A.G. *see* HARRISON, S.S.C.
HILL, B.H., HERLIHY, A.T., KAUFMANN, P.R. and SINSABAUGH, R.L. Sediment microbial respiration in a synoptic survey of mid-Atlantic region streams, 493
HOOD, R. *see* ANGRADI, T.
HORAN, M.A. *see* MURPHY, J.F.
HUGHES, J.M., BUNN, S.E., HURWOOD, D.A. and CLEARY, C. Dispersal and recruitment of *Tasiagma ciliata* (Trichoptera: Tasimiidae) in rainforest streams, south-eastern Australia, 117
HURLEY, M.A. *see* ELLIOTT, J.M.
HURWOOD, D.A. *see* HUGHES, J.M.

JANSSENS DE BISTHHOVEN, L., NUYTS, P., GODDEERIS, B. and OLLEVIER, F. Sublethal parameters in morphologically deformed *Chironomus* larvae: clues to understanding their bioindicator value, 179

KAUFMANN, P.R. *see* HILL, B.H.
KAUTSKY, N. *see* ARNÉR, M.
KAWABATA, K. and URABE, J. Length–weight relationships of eight freshwater planktonic crustacean species in Japan, 199
KELLAWAY, D.M. *see* BUNN, S.E.
KENNEDY, M.G. *see* BAILEY, R.C.
KOIVISTO, S. *see* ARNÉR, M.
KOPERSKI, P. Predator–prey interactions between larval damselflies and mining larvae of *Glyptotendipes gripekoveni* (Chironomidae): reduction in feeding activity as an induced defence, 317
KORNIJOW, R. *see* MOSS, B.

LAKE, P.S. *see* QUINN, G.P.
LAMOUROUX, N. *see* BORNETTE, G.
LAWTON, L.A. *see* LIRÅS, V.
LAYBOURN-PARRY, J. and WALTON, M. Seasonal heterotrophic flagellate and bacterial plankton dynamics in a large oligotrophic lake – Loch Ness, Scotland, 1
LEFF, A.A. *see* LEFF, L.G.
LEFF, L.G., LEFF, A.A. and LEMKE, M.J. Seasonal changes in planktonic bacterial assemblages of two Ohio streams, 129
LEMKE, M.J. and BOWEN, S.H. The nutritional value of organic detrital aggregate in the diet of fathead minnows, 447
LEMKE, M.J. *see* LEFF, L.G.
LENNOX, S.D. *see* STRONGE, K.M.
LEVINE, S.N. *see* PELTON, D.K.
LEWIS, A. *see* BUCKTON, S.T.
LI, B-L. *see* HAVENS, K.E.
LINDBERG, M. *see* LIRÅS, V.
LINDEGAARD, C. *see* BRODERSEN, K.P.
LIRÅS, V., LINDBERG, M., NYSTRÖM, P., ANNADOTTER, H., LAWTON, L.A. and GRAF, B. Can ingested cyanobacteria be harmful to the signal crayfish (*Pacifastacus leniusculus*)?, 233
LODGE, D.M. *see* CRONIN, G.

MAWLE, G.W. *see* BOWKER, D.W.
MEASY, G.J. *see* MOSS, B.
MEYRAN, J.C. and TABERLET, P. Mitochondrial DNA polymorphism along alpine populations of *Gammarus lacustris* (Crustacea: Amphipoda), 259
MEYRAN, J.-C. Ecophysiological diversity of alpine populations of *Gammarus lacustris* in relation to environmental calcium, 41
MOSS, B. *see* STEPHEN, D.
MOSS, B., KORNIJOW, R. and MEASY, G.J. The effects of nymphaeid (*Nuphar lutea*) density and predation by

perch (*Perca fluviatilis*) on the zooplankton communities in a shallow lake, 689
MURPHY, J.F., GILLER, P.S. and HORAN, M.A. Spatial scale and the aggregation of stream macroinvertebrates associated with leaf packs, 325
NORBERG, J. *see* Arnér, M.

NUYTS, P. *see* Janssens De Bisthhoven, L.
NYSTRÖM, P. *see* LIRÅS, V.

OLLEVIER, F. *see* JANSSENS DE BISTHHOVEN, L.
ORMEROD, S.J. *see* BUCKTON, S.T.

PACE, M.L., FINDLAY, S.E.G. and FISCHER, D. Effects of an invasive bivalve on the zooplankton community of the Hudson River, 103
PATTINSON, S.N. *see* GARCÍA-RUIZ, R.
PEETERS, E.T.H.M. and GARDENIERS, J.J.P. Logistic regression as a tool for defining habitat requirements of two common gammarids, 605
PELTON, D.K., LEVINE, S.N. and BRANER, M. Measurements of phosphorus uptake by macrophytes and epiphytes from the LaPlatte River (VT) using ^{32}P in stream microcosms, 285
PHILLIPS, D.R. *see* BOWKER, D.W.
PHILLIPS, G. *see* STEPHEN, D.
PHLIPS, E.J. *see* HAVENS, K.E.
PINEL-ALLOUL, B. *see* GHADOUANI, A.
PREPAS, E.E. *see* GHADOUANI, A.
PRINGLE, C.M. and RAMÍREZ, A. Use of both benthic and drift sampling techniques to assess tropical stream invertebrate communities along an altitudinal gradient, Costa Rica, 359
PRINGLE, C.M. *see* ROSEMOND, A.D.
PROSSER, I.P. *see* BUNN, S.E.

QUIBLIER-LLOBERAS, C. *see* CARRIAS, J-F.
QUINN, G.P., LAKE, P.S. and SCHREIBER, E.S.G.A comparative study of colonization by benthos in a lake and its outflowing stream, 623

RAMÍREZ, A. *see* PRINGLE, C.M.
RAMÍREZ, A. *see* ROSEMOND, A.D.
RAVIRAJA, N.S., SRIDHAR, K.R. and BÄRLOCHER, F. Breakdown of *Ficus* and *Eucalyptus* leaves in an organically polluted river in India: fungal diversity and ecological functions, 537
REYNOLDS, C.S. The state of freshwater ecology, 741
ROBSON, B.J. and BARMUTA, LA. The effect of two scales of habitat architecture on benthic grazing in a river, 207
ROMO, S. *see* CATTANEO, A.
ROSEMOND, A.D., PRINGLE, C.M. and RAMÍREZ, A. Macroconsumer effects on insect detritivores and detritus processing in a tropical stream, 515

SAKWIŃSKA, O. Plasticity of *Daphnia magna* life history traits in response to temperature and information about a predator, 681
SAND-JENSEN, K. Influence of submerged macrophytes on sediment composition and near-bed flow in lowland streams, 663
SCHMID-ARAYA, J.M. Small-sized invertebrates in a gravel stream: community structure and variability of benthic rotifers, 25
SCHREIBER, E.S.G. *see* QUINN, G.P.
SHEEHY, M.R.J. *see* BELCHIER, M.
SHELTON, P.M.J. *see* BELCHIER, M.
SINSABAUGH, R.L. *see* HILL, B.H.
SMILEY, E.A. and TESSIER, A.J. Environmental gradients and the horizontal distribution of microcrustaceans in lakes, 397
SMITH, R.V. *see* STRONGE, K.M.
SPENCER, C.N. and ELLIS, B.K. Role of nutrients and zooplankton in regulation of phytoplankton in Flathead Lake (Montana, U.S.A.), a large oligotrophic lake, 755
SPIJKERMAN, E. and COESEL, P.F.M. Alkaline phosphatase activity in two planktonic desmid species and the possible role of an extracellular envelope, 503
SRIDHAR, K.R. *see* RAVIRAJA, N.S.
STEPHEN, D., MOSS, B. and PHILLIPS, G. The relative importance of top-down and bottom-up control of phytoplankton in a shallow macrophyte-dominated lake, 699
STEVENS, P. *see* BUCKTON, S.T.
STONE, M.K. and WALLACE, J.B. Long-term recovery of a mountain stream from clear-cut logging: the effects of forest succession on benthic invertebrate community structure, 151
STRONGE, K.M., SMITH, R.V. and LENNOX, S.D. Predicting the spring algal biomass in Lough Neagh using time series analysis, 593
STYRISHAVE, B. *see* BOJSEN, B.H.

TABERLET, P. *see* MEYRAN, J.C.
TAYLOR, R.M. *see* BAILEY, R.C.
TESSIER, A.J. *see* SMILEY, E.A.
THORP, J.H., DELONG, M.D. and CASPER, A.F. *In situ* experiments on predatory regulation of a bivalve mollusc (*Dreissena polymorpha*) in the Mississippi and Ohio rivers, 649

URABE, J. *see* KAWABATA, K.

VELTKAMP, C.J. *see* COOK, J.A.
VIROUX, L. *see* GOSSELAIN, V.

WALLACE, J.B. *see* STONE, M.K.
WALTON, M. *see* LAYBOURN-PARRY, J.
WARD, J.V. *see* WELLNITZ, T.A.

WELLNITZ, T.A. and WARD, J.V. Does light intensity modify the effect mayfly grazers have on periphyton?, 135
WHITTON, B.A. *see* GARCÍA-RUIZ, R.
WILLIAMS, D.D. and WILLIAMS, N.E. Aquatic insects in an estuarine environment: densities, distribution and salinity tolerance, 411
WILLIAMS, N.E. *see* WILLIAMS, D.D.
WISHART, M.J. and DAVIES, B.R. The increasing divide between First and Third Worlds: science, collaboration and conservation of Third World aquatic ecosystems, 557
WISSING, K.D. *see* CRONIN, G.
WITTHØFFT, H. *see* BOJSEN, B.H.

ZHANG, Y. *see* GHADOUANI, A.